

Parasols

2022 Season



Glatz 



Wellbeing and style with Glatz

Wherever you look – outdoor living is in! When designing outdoor areas, as a traditional Swiss company now in our fourth generation, we still feel right at home – and we're active across Europe and around the world with our parasols.

The drive and ambition to continually bring new and better products onto the market, as well as the timeless elegance, wind stability and longevity, and intuitive use of our models are all in our DNA at Glatz. As a pioneer of the free-arm parasol and giant parasol we are continuing our company history, spanning over 125 years, and embody consistent Swiss values. Glatz represents high precision, complete reliability and outstanding quality, thanks to the production using high-quality materials and technologies.

At the heart of town, in the country, in the mountains or at the coast – people with a garden, balcony or patio rely on our parasols. The fabric cover gives you that first glimpse of colour. Classic, striking, fresh, simple or urban: At Glatz, you have more than 75 colour shades to choose from.

Get some advice from us or one of our specialist retailers near you. With more than 20,000 combination options to choose from, you can configure your parasol in way that suits your style, and transform your outdoor area into a second living room with real comfort.

Enjoy the sun in the Glatz shade.



Markus Glatz & the Glatz team

Our values

“I like it here!” Ideally: “I feel at home here!” When describing the atmosphere of a particular place, one intuitively draws on one’s own feelings. And this happens long before one tries to describe an ambience with objective parameters such as size, acoustics, panorama, light or warmth. This sense of well-being in the outdoor area is our ultimate goal. It has as much to do with craftsmanship as it does with stylistic confidence. Both are based on our longstanding experience as a Swiss family business. Because, for more than 125 years we have been designing and building parasols that combine two Swiss virtues: innovation and tradition. We don’t just embody these terms, they are also reflected in our three brand values of durability, individuality and design, as well as in our range of parasols.

Built for many summers

For us, high quality means the sum total of the material and its processing. Our parasols are designed so that they do their job in an extremely reliable way. This starts with the design and ends in the wind tunnel, where all of our parasols are tested for their wind stability. This also means that our fabrics offer the maximum protection against the sun and retain their original colouration for a very long time, despite the UV rays.

A tailor-made solution for every situation

Every place is different. Our parasols are therefore available in almost every possible variation. We are very proud of this uniqueness. We offer a solution which is quite literally tailor-made for every situation. From the small, angled balcony to the extensive patio at a Grand Hotel.

Timelessness instead of short-term fashion

If we reduce the design of all our parasols to a common denominator, we speak of timeless elegance. Of course, over the several decades in our history, more than one useful detail of a visual nature or technical advancement have been implemented in our parasols. What you certainly won’t find in our parasols, however, is any attempt to follow short-term fads and trends. We set trends in ergonomics and functionality. That is what makes a parasol from Glatz stand out.

For the patio and garden

We know how important your home is to you. We therefore make parasols which reflect your personal style to perfection: from the futuristic swimming pool landscape to the garden behind the house. Our parasols are timeless, functional and durable. And for many long summers, a highlight in the most beautiful summer residence in the world – your garden.

For hotels and restaurants

With a parasol from Glatz, you can transform the outside area of your restaurant into an indoor area. After all, the durability and functionality of our parasols gives you and your guests protection and safety outdoors, also during unsettled weather conditions. That means you can start the open-air season earlier in your outdoor area and entertain your guests until the late autumn. Almost all parasols can be equipped with LED lighting and heaters, and some can even be fitted with a motor drive. The high closure height means that you don't need to move any furniture around.

For architects and designers

Anyone developing and implementing sophisticated residential complexes or hotels requires a conclusive concept for the outdoor areas. In this respect, the designer team at Glatz is made up of competent consultants for innovative shading solutions, and supports architects and designers in the implementation of special solutions. A consistent system was created, based on our parasol design and the clear conception of the product, which is finely tuned to suit your construction plans, right down to the last detail.



Product range

| | |
|----------------------------------|----|
| ALEXO® | 10 |
| PIAZZINO | 14 |
| TEAKWOOD | 18 |
| ALU-SMART | 22 |
| ALU-TWIST | 26 |
| SUNWING® Casa | 30 |
| SOMBRANO® S+ | 34 |
| PENDALEX® P+ | 38 |
| AURA | 42 |
| AMBIENTE Nova | 46 |
| FORTANO® | 50 |
| FORTINO® Riviera | 54 |
| FORTERO® | 58 |
| FORTELLO® | 62 |
| FORTELLO® LED | 66 |
| CASTELLO® Pro | 70 |
| PALAZZO® Line | 74 |
| | |
| Our story | 86 |
| Colours and material classes | 88 |
| Light fastness and UV protection | 90 |
| Accessories, service and contact | 91 |

Place of use

Hotel & catering

This model of parasol is particularly suitable for the demanding nature of everyday life in the hospitality industry. It can be customised in terms of its colour, shape and size and combined with other models.



Lawn

Due to its functionality and robustness as well as its ability to be fixed into the lawn, this model of parasol is strongly recommended for lawns small and large.



Patio

Whether big, small, square or rectangular – this model adapts to the conditions on the patio and sets highlights out-of-doors.



Balcony

This model and its adjustment options give shade to the very last corner of the balcony; due to its design, it hardly takes up any space.



Fastening solutions

Base

This type of parasol can be fastened to a base or a pedestal with added weight. The location can also be changed at any time, without any mounting work. This can be fastened with a clip which is designed not to damage the pole.



Ground socket

If the parasol is to be fixed firmly in one place, a ground socket which is set in concrete is recommended. Trip hazards are avoided due to the full integration of the parasol in the area of seating.



Lawn spike

This model can be fixed to a new location in the soft ground within a very short time with a lawn spike which is sunk into the ground. This can be fastened with a clip which is designed not to damage the pole.



Balcony bracket

If space is limited, this model of parasol can be attached to the balcony railing using a clamp.



Wall bracket

Walls and partitions are no impediment, as this model of parasol can be attached to them on a space-saving basis thanks to the wall bracket.



Owners of Glatz-parasols stay on the safe side when they use the original accessories from Glatz to achieve the optimum fastening and stability. Only in this way are the optimum use and the Glatz warranty guaranteed.

ALEXO®
Design icon for 90 years



Colour: 694 Canyon



ALEXO®

Design icon for 90 years

Nothing is as timeless as quality. The Alexo has been manufactured for more than 90 years. It is “the” design icon of parasols and is currently more popular than ever before.

Thanks to its legendary gear joint and long centre pole the parasol cover can be tilted at a range of angles for the perfect shade in line with the position of the sun.

The Alexo is available with a round frame with a diameter of 200 cm or 220 cm, with or without flounce. The pole consists of varnished ash wood, while the gear joint is made of nickel-plated brass. In terms of the fastening, with the wall bracket, lawn spike, ground socket or mobile base, nothing is left to be desired.



Ø 200 cm

Ø 220 cm



20 km/h

20 km/h

Product details


| | |
|------------------------|---|
| How to operate | To open, position the Alexo at a comfortable angle and move the runner outwards – until the runner snaps into place. Next, align the Alexo with the fine-ribbed gear runner joint in accordance with the position of the sun. |
| Frame colour | Ash with a clear varnish |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98 % Material class 4: Polyester, UV protection > 98 % Available with or without flounce. The model without flounce is reinforced with leather edges. |
| Materials / technology | The gear joint is made from nickel-plated brass. The parasol struts are made from flexible, break-proof fibreglass. |
| Protective cover | Can be ordered as an optional extra |




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.



> 98 %
UV
Protection



Area of use



Type of fastening





Colour: 654 Kiwi



PIAZZINO

Natural, classic elegance



PIAZZINO

Natural, classic elegance

Less is more. Our Piazzino is an excellent example of this. A robust parasol made from natural eucalyptus wood, which gives a romantic touch to the summer and provides your guests with plenty of shade. The durability of the eucalyptus wood ensures that this parasol can be opened and closed without any problems, year after year.

With Piazzino, we offer more for less. With its clear design, ease-of-use and robust configuration, Piazzino is in the category of functional umbrellas, but also scores points with its excellent price/performance ratio – making it easy on your budget.



Ø 300 cm
Ø 350 cm



30 km/h
30 km/h



300 × 300 cm



30 km/h

Product details

| | |
|------------------------|--|
| How to operate | To open the Piazzino, simply pull on the pulley system and fix it in place with the metal pin |
| Frame colour | Eucalyptus wood with a clear varnish |
| Canopy* | Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The Piazzino has a pulley system. The corner mounts are reinforced with leather. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Included in delivery |

* This model is also available in material class 2: Polyester, UV protection > 98 %
Frame: Rust-coloured varnish



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Design

TEAKWOOD

The Rolls-Royce among wooden parasols





Colour: 510 White

TEAKWOOD

The Rolls-Royce among wooden parasols

The Teakwood is our interpretation of a parasol which fits into both, yesterday as well as today and tomorrow. With fine materials such as untreated teak, corner mounts reinforced with leather, rustproof metal fittings and a double pulley system, the Teakwood lends a nostalgic sense of charm to the garden or the patio, and invites your guests to relax.

The finishing of the high-quality material, which we integrate in all of our models down to the last detail, is sophisticated. To relax under the parasol roof all you have to do is to pull on the pulley system and fix it in place with the metal pin



Ø 300 cm
Ø 350 cm



30 km/h
30 km/h



330 × 330 cm



30 km/h

Product details

| | |
|------------------------|--|
| How to operate | To open the Teakwood, simply pull on the pulley system and fix it in place with the metal pin. |
| Frame colour | Made from fine teak |
| Canopy | Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The Teakwood model is fitted with a double pulley system and rustproof fittings. The corner mounts are reinforced with leather. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Included in delivery |




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Made



Colour: 527 Urban Chrome



ALU-SMART

Small and adaptable









ALU-SMART

Small and adaptable

How long does it take until a parasol is considered a classic? We don't think it's a question of time, but a question of clever ideas. The Alu-Smart certainly lives up to its name. It fits perfectly onto angled or narrow balconies; the parasol roof can be opened and closed effortlessly using the slim, ergonomic runner.

Its design, with its elegantly curved fabric edge, harmonises with both old and new buildings and has a harmonious flair. The stable aluminium frame subtly reflects the colours of its surroundings. It is also ideal for patios and as a complement to all of the giant parasol from Glatz.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 200 cm | 75 km/h | 200 × 200 cm | 50 km/h | 210 × 150 cm | 55 km/h |
| Ø 220 cm | 65 km/h | 240 × 240 cm | 40 km/h | 250 × 200 cm | 40 km/h |
| Ø 250 cm | 50 km/h | | | | |
| Ø 300 cm | 35 km/h | | | | |

Product details

| | |
|------------------------|--|
| How to operate | The Alu-Smart can be opened by pushing the runner to the top until it locks into place. You can tilt the parasol roof using the tilter. The Alu-Smart is also height-adjustable. |
| Frame colour | Natural anodised aluminium |
| Canopy * | Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The frame has a profiled pole as well as stepless height adjustment and a tilter. The canopy is replaceable and self-tautening thanks to flexible strut ends. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Can be ordered as an optional extra |

* This model is also available in material class 2: Polyester, UV protection > 98 %




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

ALU-SMART,
Int. Patents reg. ©Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



ALU-TWIST

Clever and convenient operation





Colour: 656 Oleander









ALU-TWIST

Clever and convenient operation

What was there first, form or function? With the Alu-Twist, our unequivocal answer is both. After all, this centre pole parasol is the perfect combination of aesthetics and comfort. The parasol roof can be opened easily by turning the crank, and tilted with the stepless turning mechanism.

To ensure a long lifespan, we only use the best materials. The frame and struts are made from natural anodised aluminium. The Alu-Twist is perfect for angled outdoor areas, your balcony or as an addition to a Glatz giant parasol. Wherever it is positioned – sufficient shade and a touch of timeless modernity are guaranteed.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 270 cm | 55 km/h | 240 × 240 cm | 45 km/h | 210 × 150 cm | 55 km/h |
| Ø 300 cm | 50 km/h | | | 250 × 200 cm | 45 km/h |
| Ø 330 cm | 45 km/h | | | | |

Product details

| | |
|------------------------|---|
| How to operate | You can open and close the Alu-Twist easily with the crank. The parasol roof can be tilted on a stepless basis on the crank case with the “TWIST” turning mechanism. |
| Frame colour | Natural anodised aluminium |
| Canopy * | Material class 5: Polyacrylic, UVprotection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | Frame with a profiled pole, crank drive and the “TWIST” turning mechanism for stepless tilting. The canopy is replaceable and self-tautening thanks to flexible strut ends. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Can be ordered as an optional extra |

* This model is also available in material class 2: Polyester, UV protection > 98 %




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

ALU-TWIST,
©Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



SUNWING® Casa
The sleek 360° parasol











Colour: 685 Urban Sky

SUNWING® Casa

The sleek 360° parasol

The Sunwing Casa presents itself as an evergreen among free-arm shades with slim sections and casing designs. It impresses with its ease of use thanks to its centrally-positioned controls. Thanks to the side arm to which the parasol roof is attached, the Sunwing Casa needs little space but provides an exceptional amount of shade.

In frame colours such as natural anodised aluminium and powder-coated anthracite, it combines ergonomics and design. The parasol roof can be operated with a self-locking crank and tilted up to 45° degrees on both sides as well as rotated 360° around the mast.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 300 cm | 35 km/h | 270 × 270 cm | 30 km/h | 300 × 240 cm | 35 km/h |
| Ø 330 cm | 30 km/h | | | | |

Product details

| | |
|------------------------|--|
| How to operate | The Sunwing Casa can be opened and closed using the hand crank. The crank mechanism is self-locking. With the second hand crank the parasol roof can be steplessly tilted up to 45 degrees on both sides. |
| Frame colour | Natural anodised or anthracite powder-coated aluminium |
| Canopy * | Material class 5: Polyacrylic, UVprotection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The aluminium supporting elements and frame of the parasol roof are available in natural anodised or powder-coated anthracite. The crank housing, supporting arm lead and head are made from robust die-cast aluminium, and the screws and rivets are made of stainless steel. The canopy is replaceable and self-tautening thanks to the flexible strut ends. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Included in delivery |

* This model is also available in material class 2: Polyester, UV protection > 98 %
Frame: Powder-coated aluminium anthracite



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.


SUNWING® Casa,
©Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Design



SOMBRANO® S⁺

The art of engineering for 360° shade









Colour: 605 Clay

SOMBRANO® S⁺

The art of engineering for 360° shade

Glatz is known for its ideas. With the Sombrano S⁺, we have come up with something special: It is the first free-arm shade that opens automatically synchronously and aligns itself horizontally when the crank is turned.

To make the best use of the space under the parasol, we attached the mast to the side of the parasol roof. You can therefore use the space underneath the Sombrano S⁺ freely. Thanks to the tilting rod, the canopy can be tilted up to 54° on both sides. It can be turned easily 360° on its axis by operating the turnable ball-bearing base.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 350 cm | 45 km/h | 300 × 300 cm | 45 km/h | 400 × 300 cm | 35 km/h |
| Ø 400 cm | 35 km/h | 350 × 350 cm | 35 km/h | | |

Product details

| | |
|------------------------|---|
| How to operate | The Sombrano S ⁺ can be opened and closed with the hand crank. The crank mechanism is self-locking. By using the tilting rod, the parasol roof can be tilted up to 54° on both sides in steps of 18°. Thanks to the turnable ball-bearing base, the Sombrano S ⁺ can also be rotated 360°. |
| Frame colour | Natural anodised or anthracite powder-coated aluminium |
| Canopy * | Material class 5: Polyacrylic, UVprotection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The aluminium supporting elements and frame of the parasol roof are available in natural anodised or powder-coated anthracite. The crank housing, carriage, supporting arm lead and head are made from die-cast aluminium, and the screws and rivets are made of stainless steel. The canopy is replaceable and self-tautening thanks to the flexible strut ends. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Included in delivery |
| | * This model is also available in material class 2: Polyester, UV protection > 98 % Frame: Powder-coated aluminium anthracite |



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

SOMBRANO®,
Int. Patents reg. © Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



PENDALEX® P⁺
The multifunctional all-rounder



Colour: 523 Champagne



PENDALEX® P⁺

The multifunctional all-rounder

At first glance, you can't tell how much technology the Pendalex P⁺ actually contains. On closer inspection, however, it impresses with its high-quality materials, such as aluminium, glass fibre reinforced synthetic material and galvanised parasol struts made from tempered spring steel – and is a masterpiece of engineering. It also impresses with a gas compression spring in its mast with which the height of the parasol can be adjusted without the use of force.

Thanks to the ball-and-socket joint made from solid anodised aluminium, the parasol cover provides perfect shade, can be tilted smoothly by up to 90° in all directions and can be rotated 360° around the mast. As this parasol barely takes up any space when it is closed, it can easily spend the winter outdoors or in the cellar.



Ø 300 cm
Ø 325 cm
Ø 350 cm



20 km/h
20 km/h
20 km/h



285 × 230 cm



20 km/h

Product details

| | |
|------------------------|---|
| How to operate | The Pendalex P ⁺ can be opened and closed with the crank on the supporting arm. The height of the parasol can be put into the required position with the gas compression spring (50 cm lift) on the parasol mast. The supporting arm runs on roller guides and can be extended steplessly. The Glatz ball-and-socket joint allows the parasol roof to tilt steplessly up to 90° in all directions. The parasol can be rotated easily by 360° around the mast on a stepless basis. |
| Frame colour | Natural anodised or anthracite powder-coated aluminium |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98 % Available with or without flounce |
| Materials / technology | Whilst the profiled telescopic mast and the free-arm are made from natural anodised aluminium or powder-coated anthracite, the shells are made from glass fibre reinforced TSG synthetic material. The guides are teflon-modified high-performance synthetic material. The struts are made from tempered, galvanised and powder-coated spring steel. The Glatz ball-and-socket joint is made from forge-pressed, hard anodised aluminium. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Included in delivery |




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.


PENDALEX® P⁺,
Int. Patents reg. © Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Made



Colour: 501 Granite

AURA

Natural radiance at its purest



AURA

Natural radiance at its purest

We spent a long time thinking of a name for this parasol. We found what we were looking for with a synonym for charm. In the garden, the Aura doesn't just up space, but immediately spreads a feeling of comfortable flair. This is because of its materials, which include powder-coated aluminium, nickel-plated brass, stainless steel inserts in warm shades of silver and the carefully-finished eucalyptus wood.

With its specially coated mast and stabilising aluminium core, the Aura parasol lasts a lifetime. It is naturally easy to open. When the sun is low in the sky, or if you would prefer a little privacy, it can be turned both ways, counter to the mast or 360° around it.



| | |
|--------------|---------|
| 350 × 350 cm | 45 km/h |
| 400 × 400 cm | 40 km/h |

Product details

| | |
|------------------------|--|
| How to operate | Open and close the parasol using the removable hand crank. By loosening the locking lever, the parasol can be rotated 360°. The parasol roof can also be tilted counter to the mast. |
| Frame colour | High-quality varnished eucalyptus wood |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98 % Only available without a flounce |
| Materials / technology | Mast made from high-quality varnished eucalyptus wood with additional stabilising aluminium core. Struts made from eucalyptus wood. Silver powder-coated stainless steel and aluminium components. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Included in delivery |



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.


AURA,
© Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening





Colour: 655 Lagoon



AMBIENTE Nova
Atmosphere also in the evening








AMBIENTE Nova

Atmosphere also in the evening

Atmosphere at the touch of a button. Hot summers entail tropical nights that are best spent on the patio. The only thing missing in the dark of the evening is the right kind of illumination.

If candles or torches aren't at hand, on this parasol, you can simply flip the switch. The successor to our legendary Ambiente optionally includes an LED lighting system which gives the surroundings in a subtle warm-white light. The LED lights are fitted in the struts of the parasol roof and parasol mast, and can be controlled and dimmed individually. In this way, the Ambiente Nova effortlessly expresses its modern design at midnight as well.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 400 cm | 45 km/h | 350 × 350 cm | 40 km/h | 400 × 300 cm | 45 km/h |
| Ø 500 cm | 35 km/h | 400 × 400 cm | 35 km/h | 450 × 350 cm | 35 km/h |

Product details

| | |
|------------------------|--|
| How to operate | You can open and close the parasol with the removable hand crank or the optional motor drive, which can also be operated by remote control. Another available option is the swivel adapter which allows to rotate the parasol by 310°. |
| Frame colour | Natural anodised aluminium |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98 % Available with or without flounce |
| Materials / technology | The supporting elements and frame of the parasol roof are made from natural anodised aluminium profiles. When you turn the crank, the carriage is moved upwards and downwards on a high-quality toothed belt on the mast. At the same time, the parasol roof opens via a sturdy Dyneema rope. The canopy is replaceable and self-tautening thanks to the flexible strut ends. Custom productions available on request. |
| Electrical accessories | Dimmable LED lighting, direct, indirect and on mast, Motor drive for the maximum convenience, Osyriion Spot LED with integrated battery pack |
| Accessories | A protective cover with rod and zip fastener and a turnable base can be ordered as optional extras. |





Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

AMBIENTE Nova,
Int. Patents reg. © Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening





FORTANO®
Wind stable in all positions





Colour: 501 Granite

FORTANO®

Wind stable in all positions

As a newcomer to our range, the Fortano combines the comfort of a parasol without the inconvenience of a centre mast but with the durability of our F series. In the 3 × 3 metre version, in exposed and windy locations, it is able to withstand windspeeds of up to 55 km/h – provided that the ground fixation has been fixed properly. If more shade is required for larger outdoor areas, the Fortano with a side length of four metres is the ideal choice.



300 × 300 cm



55 km/h



400 × 300 cm



45 km/h

Product details

| | |
|------------------------|--|
| How to operate | Open and close the parasol using the removable hand crank. Another option available to you is the turnable ball-bearing base, which can be rotated 360°. |
| Frame colour | Natural anodised or anthracite powder-coated aluminium |
| Canopy * | Material class 5: Polyacrylic, UVprotection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The supporting elements and frame of the parasol roof are available in powder-coated anthracite or natural anodised aluminium profiles. When you turn the crank, the carriage on the mast is moved upwards and downwards on the high-quality synthetic cord and, at the same time, the parasol roof is opened and closed. The canopy is replaceable and self-tautening thanks to the flexiblerib ends. |
| Electrical accessories | Osyryon Spot LED with integrated battery pack |
| Protective cover | Included in delivery |

* This model is also available in material class 2: Polyester, UV protection > 98 %
Frame: Powder-coated aluminium anthracite




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

FORTANO®,
Int. Patents reg.



> 98 %
UV
Protection



Area of use



Type of fastening





Colour: 646 Rubino

NEW

FORTINO® Riviera

The compact, wind-resistant one







FORTINO® Riviera

The compact, wind-resistant one

A fresh breeze won't get the better of this parasol. The small Fortino Riviera is designed to be wind resistant thanks to its flat, yet modern parasol roof structure, for instance. The opposite opening principle with the two-part profiled pole ensures really convenient operation: simply pull the tension lever downwards and fix it in the runner. The parasol is also characterised by a high level of corrosion resistance, making it ideal for exposed coastal regions. The frame is made from natural anodised aluminium, the runner and crown are made from high-quality, glass fibre reinforced plastic.

The Fortino Riviera can be optionally attached to a concrete, steel or granite base. If it is given a permanent place in your garden or on your patio, a socket which is anchored firmly in the ground ensures that it is only the sun that will make the shade move, and not the wind.

| | | | |
|--|--|--|--|
|  |  |  |  |
| Ø 250 cm | 80 km/h | 200 × 200 cm | 70 km/h |
| Ø 300 cm | 60 km/h | 240 × 240 cm | 60 km/h |

Product details

| | |
|------------------------|---|
| How to operate | To open, simply pull the tensioning lever downwards and fix it in the runner. This can be done with minimum effort thanks to the opposite opening principle. |
| Frame colour | Natural anodised aluminium |
| Canopy * | Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The frame is made from natural anodised aluminium and includes a two-part profiled pole. The runner and crown are made from corrosion-resistant glass fibre reinforced plastic. The bolts and rivets are made from stainless steel. The canopy is replaceable and self-tautening thanks to the flexible strut ends. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Can be ordered as an optional extra |

* This model is also available in material class 2: Polyester, UV protection > 98 %



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

FORTINO® Riviera,
© Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening





FORTERO®
The medium-sized, wind-resistant one











Colour: 500 Plaster

FORTERO®

The medium-sized, wind-resistant one

This is a parasol that isn't knocked down easily. And that includes by sudden gusts of wind. It therefore certainly lives up to its name: Fortero – the strong one. Despite its size and robustness, it is easy to control, and, due to the opposite opening principle, it is also easy to use.

On large squares, hotel patios and by swimming pools, it provides generous and extremely reliable shade. With a size of up to 4 metres in diameter, from the perspective of safety, it is crucial that it is properly fixed in place. In addition to concrete, granite and bases with castors, various alternatives for permanent anchorage are also available.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 350 cm | 55 km/h | 250 × 250 cm 300 × 300 cm 350 × 350 cm | 70 km/h 60 km/h 50 km/h | 300 × 200 cm 350 × 250 cm | 60 km/h 55 km/h |

Product details

| | |
|------------------------|---|
| How to operate | Simply pull the tension lever downwards and fix it in the runner. This can be done with minimum effort thanks to the opposite opening principle. |
| Frame colour | Natural anodised aluminium |
| Canopy * | Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The frame is made from natural anodised aluminium and includes a two-part, profiled mast. The runner and crown are made from strong die-cast aluminium. The bolts and rivets are made from stainless steel. The canopy is replaceable and self-tautening thanks to the flexible strut ends. |
| Electrical accessories | Osyron Spot LED with integrated battery pack |
| Protective cover | Can be ordered as an optional extra |

* This model is also available in material class 2: Polyester, UV protection > 98%



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

FORTERO®,
©Int. Design reg.



> 98 %
UV
Protection




Area of use



Type of fastening



Swiss
Design



FORTELLO®
The large, wind-resistant one









Colour: 659 Pacific

FORTELLO®

The large, wind-resistant one

The robust Fortello is neither too big nor too small, and therefore hits the sweet spot. It is also easy to transport, and withstands windspeeds of up to 100 km/h. This makes it the right choice for both heavy fall winds at the Mediterranean as well as for large, unprotected squares.

In terms of ease of use, we decided on the effortless opposite opening principle. As a parasol that provides protection against the sun, wind and rain, it can also be fitted with an Osyrion Spot. That makes those evenings when the weather isn't so great enjoyable. Our Fortello also cuts a dash as an advertising medium for logos and lettering.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 400 cm | 85 km/h | 300 × 300 cm 350 × 350 cm 400 × 400 cm | 100 km/h 85 km/h 75 km/h | 400 × 300 cm | 85 km/h |

Product details

| | |
|------------------------|---|
| How to operate | To open, simply pull the tensioning lever downwards and fix it in the runner. This can be done with minimum effort thanks to the opposite opening principle. |
| Frame colour | Natural anodised aluminium |
| Canopy * | Material class 5: Polyacrylic, UVprotection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The frame is made from natural anodised aluminium with a two-part profiled mast. The runner and crown are made from robust die-cast aluminium, and the screws and rivets are made of stainless steel. The canopy is replaceable and self-tautening thanks to the flexible strut ends. |
| Electrical accessories | Osyrion Spot LED with integrated battery pack |
| Protective cover | Can be ordered as an optional extra |

* This model is also available in material class 2: Polyester, UV protection > 98%



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

FORTELLO®,
©Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening






Colour: 651 Maroon



FORTELLO® LED

Robust protection for day and night









FORTELLO® LED

Robust protection for day and night

With the Fortello LED centre mast parasol, Glatz extends sociability and conviviality late into the evening. With no tangle of cables or electrical equipment, the new rechargeable Glatz battery pack provides dimmable LED lighting for up to 10 hours with a pleasant level of brightness.

In this way, the Fortello LED not only fulfils almost every aspiration in the hotel and catering sector. At many locations, it is also used as a flexible parasol for day and night which, depending on its size, withstands windspeeds of up to 100 km/h.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 400 cm | 85 km/h | 300 × 300 cm 350 × 350 cm 400 × 400 cm | 100 km/h 85 km/h 75 km/h | 400 × 300 cm | 85 km/h |

Product details

| | |
|------------------------|--|
| How to operate | Simply pull the tension lever downwards and fix it in the runner. This can be done with minimum effort thanks to the opposite opening principle. |
| Frame colour | Natural anodised aluminium |
| Canopy * | Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce |
| Materials / technology | The frame is made from natural anodised aluminium with a two-part profiled mast. The runner and crown are made from robust die-cast aluminium, and the screws and rivets are made of stainless steel. The canopy is replaceable and self-tautening thanks to the flexible strut ends. |
| Lighting | The integrated LED lighting with the Glatz battery pack offers steplessly dimmable lighting, a colour temperature of approx. 2700 K (warm white), 3200 lumens, 10 hours of lighting at the recommended level of brightness. The LED lighting is integrated into the struts. Cannot be retrofitted. |
| Protective cover | Can be ordered as an optional extra |

* This model is also available in material class 2: Polyester, UV protection > 98%



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

FORTELLO® LED,
© Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening





Colour: 649 Ivory



CASTELLO® Pro

The ideal host









CASTELLO® Pro

The ideal host

In the area of open air catering, the Castello Pro doesn't just impress with its robust design and corrosion-resistant materials. The trend towards purism also finds reflection in its reduced design. Equipped with simple die-cast parts, the Castello Pro captivates with its flat parasol roof which provides a great degree of wind stability.

Designed for large outdoor areas, the Castello Pro offers a high level of corrosion protection with its components that are made from high-quality synthetic material. The parasol cover can be opened and closed in no time at all with the tensioning lever. The tensioning lever can be locked into place to protect it from accidental use. The electronics are also integrated discreetly in the frame and the struts.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 350 cm | 100 km/h | 300 × 300 cm | 100 km/h | 350 × 300 cm | 90 km/h |
| Ø 400 cm | 90 km/h | 350 × 350 cm | 85 km/h | 400 × 300 cm | 85 km/h |
| Ø 450 cm | 75 km/h | 400 × 400 cm | 75 km/h | 450 × 350 cm | 75 km/h |
| Ø 500 cm | 70 km/h | 450 × 450 cm | 65 km/h | 500 × 400 cm | 65 km/h |
| Ø 550 cm | 65 km/h | 500 × 500 cm | 60 km/h | 550 × 450 cm | 60 km/h |
| Ø 600 cm | 55 km/h | | | | |

Product details

| | |
|------------------------|---|
| How to operate | The opposite opening principle enables the rapid opening and closing with the runner and tensioning lever. The tensioning lever can be locked if necessary. |
| Frame colour | Natural anodised aluminium |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98% Available with or without flounce |
| Materials / technology | The frame is made from natural anodised aluminium with high-quality, glass fibre reinforced synthetic parts, has stainless steel screws and rivets and is therefore corrosion resistant. Custom productions available on request. |
| Electrical accessories | Direct and indirect LED lighting, heater (infrared heater), Osyrion Spot LED with integrated battery pack |
| Accessories | Rain gutter, windbreak, tie system and protective cover can all be ordered as optional extras. |




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.


CASTELLO®,
©Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Made



NEW

PALAZZO® Style

The stylish one











Colour: 530 Atlantic

PALAZZO® Style

The stylish one

Anyone sitting under a Palazzo Style is playing it safe. After all, it provides protection against the sun and rain, and it can withstand wind speeds of up to 115 km/h. The natural anodised aluminium emphasises its sense of style and, by optimising the choice of material, we can make it even more corrosion resistant.

The Palazzo Style is available in 14 standard versions, and can be opened and closed by hand with nine turns of the crank or with the motor via remote control. If this giant parasol is used at night or during the colder months, it can be fitted with white and colourful LED lighting and with fast coupling heating. Both can be controlled conveniently via the new, intuitive remote control. All control components and cables are integrated into the mast and frame.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 350 cm | 115 km/h | 300×300 cm | 110 km/h | 350×250 cm | 100 km/h |
| Ø 400 cm | 90 km/h | 350×350 cm | 95 km/h | 350×300 cm | 95 km/h |
| Ø 450 cm | 75 km/h | 400×400 cm | 80 km/h | 400×200 cm | 95 km/h |
| Ø 500 cm | 65 km/h | 450×450 cm | 70 km/h | 400×300 cm | 80 km/h |
| Ø 600 cm | 55 km/h | | | 450×350 cm | 75 km/h |

Product details

| | |
|------------------------|--|
| How to operate | The Palazzo Style can be opened and closed with the hand crank or the motor drive using the remote control. |
| Frame colour | Natural anodised aluminium |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98% Available with or without flounce |
| Materials / technology | The frame is made from natural anodised aluminium profiles and non-rotatable mast, has stainless steel screws and rivets and is therefore corrosion resistant. Custom productions available on request. |
| Electrical accessories | Direct and indirect LED lighting, white and coloured, motor drive for the greatest comfort, heater (with quick coupling). |
| Accessories | A windbreak, rain gutter, tie system, protective cover with rod and zip fastener can also be ordered as optional extras. |



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.


PALAZZO® Style,
Int. Patents reg. © Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Made



Colour: 664 Pearl



NEW

PALAZZO® Noblesse
The high-performance parasol









PALAZZO® Noblesse

The high-performance parasol

If there is a parasol that impresses with its elegance, functionality and robust design, it is the Palazzo Noblesse. Its natural anodised aluminium is resplendent, it defies wind speeds of up to 95 km/h and it can be used with ease. Twelve turns of the crank is all it takes to open it. And it is even easier with an optionally integrated motor with remote control.

If you want the summer to last longer, it is best to order a heater and LED lighting to go with this model. The Palazzo Noblesse is available in almost any shape and size: it is available in a choice of 15 standard versions or an individual design.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 450 cm | 85 km/h | 400×400 cm | 95 km/h | 450×350 cm | 85 km/h |
| Ø 500 cm | 75 km/h | 450×450 cm | 80 km/h | 500×400 cm | 70 km/h |
| Ø 600 cm | 80 km/h | 500×500 cm | 70 - 85 km/h | 550×450 cm | 75 km/h |
| Ø 700 cm | 70 km/h | 550×550 cm | 75 km/h | 600×300 cm | 80 km/h |
| | | 600×600 cm | 65 km/h | 600×400 cm | 75 km/h |
| | | | | 600×500 cm | 70 km/h |

Product details

| | |
|------------------------|--|
| How to operate | The Palazzo Noblesse can be opened and closed with the hand crank or the motor drive using the remote control. |
| Frame colour | Natural anodised aluminium |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98% Available with or without flounce |
| Materials / technology | The frame is made from natural anodised aluminium profiles and a non-rotatable mast, has stainless steel screws and rivets and is therefore corrosion resistant. Custom productions available on request. |
| Electrical accessories | Direct and indirect LED lighting, white and coloured, motor drive for the greatest comfort, heater (with quick coupling). |
| Accessories | A windbreak, rain gutter, tie system, protective cover with rod and zip fastener can also be ordered as optional extras. |




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.


PALAZZO® Noblesse,
Int. Patents reg. © Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Made

NEW

PALAZZO® Royal

The elite class











Colour: 615 Black

PALAZZO® Royal

The elite class

Whether with or without a crown and a garter – you are likely to feel like royalty under the Palazzo Royal. Designed especially for the catering and hotel sector, it is even bigger than its little brothers, with a maximum diameter of eight metres. The natural anodised aluminium goes perfectly with its graphite grey surfaces.

It isn't just its size and design that are elite, though. This giant parasol can be opened with 19 turns of the crank or with a remote-controlled motor, with all the control components integrated into the mast and frame. An extensive range of accessories, such as LED lighting and heating, ensure that there is nothing left to be desired in the elite class.

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Ø 700 cm | 80 km/h | 500×500 cm | 110 km/h | 600×500 cm | 80 km/h |
| Ø 800 cm | 70 km/h | 550×550 cm | 100 km/h | 700×500 cm | 75 km/h |
| | | 600×600 cm | 90 km/h | 700×600 cm | 75 km/h |
| | | 650×650 cm | 85 km/h | 800×400 cm | 75 km/h |
| | | 700×700 cm | 75 km/h | 800×600 cm | 60 km/h |

Product details

| | |
|------------------------|--|
| How to operate | The Palazzo Royal can be opened and closed using the hand crank or the motor with remote control. |
| Frame colour | Natural anodised aluminium |
| Canopy | Material class 5: Polyacrylic, UVprotection > 98% Available with or without flounce |
| Materials / technology | The frame is made from natural anodised aluminium profiles and a non-rotatable mast, has stainless steel screws and rivets and is therefore corrosion resistant. Custom productions available on request. |
| Electrical accessories | Direct and indirect LED lighting, white and coloured, motor drive for the greatest comfort, heater (with quick coupling). |
| Accessories | A windbreak, rain gutter, tie system, protective cover with rod and zip fastener can also be ordered as optional extras. |




Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.


PALAZZO® Royal,
Int. Patents reg. © Int. Design reg.



> 98 %
UV
Protection



Area of use



Type of fastening



Swiss
Made



Our story

As a family business with a 125-year history, Glatz stands for inventive talent, courage and strong women: from a one-man business, we have developed into a company with more than 100 employees and are now one of the leading manufacturers of parasols both, in Europe and worldwide.

Ours is a story of people who believe in their vision. While the creativity of founder Albert Glatz (born 1870) found reflection in hand-held umbrellas and parasols, his son Albert Junior (born 1899) began to expand the product range in 1926. With parasols for the garden and the Alexo gear joint, he became a successful businessman. Later, as the inventor of the side arm parasol and the giant parasol it was Dölf Glatz who realised how to develop the shading comfort provided by the garden parasols and giant parasol with patented solutions.

While the Glatz story began with ladies' parasols, it now sells its range of 19 parasols for homes, gardens and patios worldwide, and is the biggest supplier to private customers, and the hotel and catering sector. In 1988, Dölf Glatz passed the torch to his son, Markus, which was the dawn of a new era in which the path was set for a successful future. Thanks to his hard work, Glatz has gained a global foothold and has an increasingly impressive international reputation. 40% of its products are of "Swiss Design", and 60% are "Swiss Made", being manufactured in Frauenfeld.

Glatz stands for precision, reliability and high quality combined with functional design. Markus Glatz: "The drive to design ever superior products that combine timeless elegance with wind stability, durability and ease of use characterises our DNA". The motivation of the company's employees is considered crucial to its success: "Although the know-how flows into every model, it is already in their minds, and came about thanks to their considerable dedication."


"We rise to the challenges of the times," explains Markus Glatz. Glatz already manufactures on a resource-friendly basis, ensures its transport routes are kept short, obtains materials from neighbouring countries, and uses durable materials.

Glatz colours


Material class 5

Light fastness 7 – 8
100% polyacrylic approx. 300 g/m²

Stone & Metal




Earth & Wood



Material class 4

Light fastness 7
100% polyester approx. 250 g/m²



Material class 2

The *easy* range
is only available in the
following colours in material class 2:

Light fastness 5 – 6
100% polyester approx. 220 g/m²








all of the colours shown are non-binding



Fire & Sun

Water & Sky

Fresh & Fruity



Light fastness

The sun doesn't just make skin age, but parasols too. If a parasol is exposed to permanent sunlight, the fabric fades over time. How strongly and quickly this occurs depends on the fabric quality. Glatz offers material classes 2 (only in the *easy* design), 4 and 5. The higher the material class, the better the light fastness; the longer the original colour lasts accordingly. Material class 2 has an open air durability of 80–160 days with direct sunlight. While material class 4 only shows the first changes in its colour after 350–700 days, the colour intensity in material class 5 only fades after 700 days.

UV protection

Every parasol protects against the sun, but they don't all protect against its harmful ultraviolet rays (UV-radiation). Although only a fraction of these rays find their way to the earth, depending on its intensity, UV-radiation is nevertheless harmful to our skin.

According to the German Federal Office for Radiation Protection (BfS), UV-radiation is broken down into the wavelength ranges UV-A (315 – 400 nm), UV-B (280 – 320 nm) and UV-C (100 – 280 nm). While UV-C rays are completely filtered out in the upper layers of the atmosphere, UV-A and UV-B rays penetrate through to the earth's surface. The energy of UV-B rays in particular has a very strong impact. It doesn't just cause sunburn and premature skin ageing but also increases the risk of skin cancer.

All the Glatz parasol fabrics feature the "UV PROTECTION" test label. The percentage value stated on the test label is derived from the UPF value (Ultraviolet Protection Factor). It is based on the data determined by the accredited Swiss testing laboratory SQTS, and is calculated with the following formula:

PERCENTAGE VALUE = 100 – 100/ UPF (SQTS)

That means: if 99 percent of the harmful UV rays are filtered out by the fabric, only 1 percent, or one hundredth, of the UV rays get through. With the UV protection from Glatz, it therefore takes 100 times longer for the same amount of radiation to reach the skin than it would without UV protection. This factor of one hundred is defined as the sun protection factor.

Accessories

People with a garden, restaurant, hotel or bistro and anyone who loves being out in the fresh air will get even more out of Glatz: an outdoor solution! Modular heaters, lighting fixtures, motor drives, parasol tables, protective covers, radio remote controls, ground sockets, rain gutters, bases or mounting plates: the accessories available from Glatz are extensive and can be adapted individually to each model of parasol.

Service and contact

Glatz AG sells its products via a global network of retailers and importers. In this respect, Glatz and its partners focus on one thing: Customer service!

We train our retailers in competent advice and repair work and provide them with certification for providing an excellent service in the case of complaints and repairs. You can look for your local retailers on our homepage at www.glatz.com.

GOOD TO KNOW: Depending on the model of parasol, the nearest specialist retailer is able to set up and install the products and to provide the customers with assistance and support. That's a promise!

Our employees will be pleased to answer any questions you may have: Tel. +41 52 723 64 64.



Glatz AG
Parasols
2022 Season

glatz.com

